



CENTREFIRE RIFLE CARTRIDGES

GECO EXPRESS

GECO .30-06 EXPRESS 10,7g

Item no:	2317806
Bullet type:	Fragmentation
Bullet Weight:	10.7 g / 165 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.404
Caliber:	.30-06 Spring.
Unit size:	20
Lead:	Yes
Recoil:	Medium
Usage for:	Light Game Medium Game Heavy Game

HIGHLIGHTS

- The GECO EXPRESS TIP yields high precision and the best effectiveness even when hunting at long distances
- Strikingly streamlined projectile for a flat trajectory
- High bullet speed and an extreme instantaneous effect in the target
- GECO SPECIAL JACKET provides good knock-down power

DESCRIPTION

GECO EXPRESS is suited to any hunting scenario that demands accuracy and efficacy at long range.



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	864	E0 [J]	3994		100m	MRD* 179m
V50 [m/s]	826	E50 [J]	3650	50m	-0.7	1.3
V100 [m/s]	789	E100 [J]	3330	100m	∅	4
V150 [m/s]	753	E150 [J]	3033	150m	-3.2	2.7
V200 [m/s]	718	E200 [J]	2758	200m	-10.8	-2.8
V250 [m/s]	683	E250 [J]	2496	250m	-23.1	-13.2
V300 [m/s]	650	E300 [J]	2260	300m	-40.8	-28.8

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2835	E0 [ft/lbs]	2946		100yds	MRD* 200yds
V50 [ft/s]	2720	E50 [ft/lbs]	2713	50yds	-0.4	0.4
V100 [ft/s]	2608	E100 [ft/lbs]	2494	100yds	∅	1.6
V150 [ft/s]	2500	E150 [ft/lbs]	2292	150yds	-0.9	1.5
V200 [ft/s]	2393	E200 [ft/lbs]	2100	200yds	-3.1	
V250 [ft/s]	2290	E250 [ft/lbs]	1923	250yds	-6.9	-3
V300 [ft/s]	2189	E300 [ft/lbs]	1757	300yds	-12.3	-7.6



Bullet construction of GECO EXPRESS



- 1 GECO EXPRESS TIP:**
For precision and flatness
- 2 GECO BC-SHAPE:**
For a low air resistance
- 3 GECO SPECIAL JACKET:**
For high knock-down power



PERFORMANCE

